

Advanced Office Document Stations



Aficio[®] MP 1600/MP 2000

The Easy to Use Solution for Any Office

Effective and professional communication is what makes your business flourish. Building on technological innovation and years of experience as market leading global company, Ricoh provides unequalled quality solutions tailored to the needs of more demanding businesses. Boasting outstanding paper handling, the straightforward Aficio[™]MP 1600/MP 2000 are set to swiftly take care of your everyday tasks and answer your growing office demands. With the optional internal controller, these compact solutions can easily be transformed into full blown multifunctionals with user friendly print and scan capabilities and even a professional fax. A perfect fit for today's complex network environments, they feature a large variety of digital distribution possibilities. Simply the smart choice for your growing business requirements!

MP 1600

- Highly productive at 16 ppm
- Ample 1,350-sheet paper capacity
- Optional 30-sheet ADF

MP 2000

- Outstanding performance at 20 ppm
- Standard duplexing
- Large 1,600-sheet paper capacity
- Optional internal one-bin tray
- Optional 50-sheet ARDF



Printing duplex equals saving money. Included as standard on the MP 2000, the duplex function produces double-sided output at the same high output speed as simplex. Since you save on paper, you also reduce your costs while keeping the environment in mind.

The Productivity your Office Needs

Combining the skills of many office peripherals into one intelligent, space saving unit, the MP 1600/MP 2000 offer superb efficiency and outstanding output quality. Everything you need to print, copy, scan and fax quality documents quickly and with ease. A smooth office workflow is within reach!

High Productivity

A speedy workflow is essential to stay on top of the game. With a short warm up time, the MP 1600/MP 2000 are ready for business almost instantly. What's more, your first output is ready in a mere 6.5 seconds. As printing/copying continues at 16/20 pages per minute (ppm), your jobs are ready faster so you can focus on your work again without delay.

Continuity Guaranteed

You can rest assured; those occasional peak periods will no longer keep you from more important work. Thanks to an impressive maximum paper capacity of 1,350/1,600 sheets, you can take care of any large print/copy job without the need for continuous refills.



A3 Experts

Boasting full A3 copy, print and scan capability, the MP 1600/MP 2000 are set to deliver professional looking output for specific applications such as spreadsheets, graphs, promotional material, insurance forms, etc.

The image on these pages is not a real photograph and slight differences in detail might appear.

Optional trays: 2 x 500 sheets

Standard trays: 2 X 250 sheets (MP 2000)

pages per minute

- increase your efficiency by copying, printing, scanning and faxing double-sided documents in one go (MP 2000)
- obtain handy separated printed and copied output through the one-bin tray (MP 2000)

333

Alicia

The Environment, our Responsibility

Like all Ricoh products, the Aficio™MP 1600/MP 2000 reflect Ricoh's commitment to the environment with the usage of toxic free materials* and clean and quiet operation. With their low power consumption (energy saver mode), low energy toner production and duplex capability (MP 2000), these document handlers take eco care even further.

* In compliance with EU RoHS directive (RoHS: Restriction of Hazardous Substances, effective from July 2006).

Cost Saving Duplexing



Exceptional Paper Handling

• expand your in-house printing capabilities using a wide range of media up to 162 g/m² for any specific office document

Simple to Operate

• straightforward operation thanks to user friendly operation panel • full front accessibility: hassle free paper refills and toner replacement

• improved user comfort with easy handling paper trays

• virtually maintenance free

Full Featured Printing & Networking

Easy networkability and an improved print workflow are a certainty with the MP 1600 and MP 2000. These sophisticated devices are ready to be used instantly without any setup or special configuration, ensuring hassle free integration into specific environments, even those which are non-Windows® based. Furthermore, network traffic is reduced through the PDF Direct Print functionality, increasing your total productivity.

Optimise your Workflow

The highly evolved MP 1600 and MP 2000 are fully equipped to efficiently deal with a wide array of office tasks. Packed with a range of smart features, these devices streamline your workflow while keeping your information safe. Reliable solutions for today and tomorrow.



Various security measures protect your confidential data and secure your document cycle.

Efficient Distribution

Distributing, organising and archiving your information is child's play with the MP 1600 and MP 2000's optional scan capabilities. In just a few seconds, you can send scanned files to your PC. Larger jobs can simply be fed into the MP 1600's 30-sheet ADF. The MP 2000 even scans double-sided documents in one pass using the ARDF. The distribution possibilities are many: you can send scanned files by e-mail, transmit them directly to a dedicated network folder or an FTP server, and more. Now your office can instantly share fully editable files.

Intelligent Faxing

With the optional fax unit in place, the MP 1600 and MP 2000 boost the efficiency of your workflow with high speed, professional and user friendly faxing. With 33.6 Kbps modem speed, they transmit your documents quickly and reliably.

- automatically distribute incoming faxes to e-mail or a dedicated folder and omit the distribution of printed faxes
- optimise your efficiency and forward faxes to a single person or an entire workgroup
- reduce infrastructure costs by transmitting fax documents using T.38 (VoIP) protocol via the existing LAN

High Tech Security

In recent years, information security has become a priority for many organisations. Therefore, the Aficio^{™M}MP 1600/MP 2000 come equipped with potent security measures to adequately safeguard access and protect your valuable information. These include various types of authentication, data encryption and IP filtering.





Aficio[™]MP 1600/MP 2000

Specifications

	COPIER	SCO OpenServer 5.0.6/5.0.7 RedHat Linux 6.x/7.x/8.x/9.x/Enterprise
Copying process:	Twin laser beam scanning	IBM AIX v4.3/5L v5.1/5.2/5.3
copying process.	& electro photographic printing	Macintosh OS 8.6 or later (OS X Classic)
Conversed	16/20 copies per minute	Macintosh X v10.1 or later (native mode)
Copy speed:		IBM System i5 [™] HPT
Resolution:	600 dpi	SAP R/3
Multiple copy:	Up to 99	NDPS Gateway
Warm up time:	Less than 15 seconds	
irst output speed:	Less than 6.5 seconds	AS/400 using OS/400 Host Print Transform
Zoom:	50 - 200% (in 1% steps)	
Memory:	Standard: 16 MB	Scanner
Paper input capacity:	Standard: MP 1:600	
	1 x 250-sheet paper tray	Scan speed: Maximum 43 originals per minute (A4, SEF)
	100-sheet multi-bypass tray	Resolution: 600 dpi
	MP 2000:	Original size: A5 - A3
	2 x 250-sheet paper trays	Bundled drivers: Network, TWAIN
	100-sheet multi-bypass tray	Scan to e-mail: TCP/IP, SMTP or POP3 before SMTP
	Duplex tray	Destination addresses: Maximum 100 per job
	Maximum: MP 1600: 1,350 sheets	Stored destination
	MP 2000: 1,600 sheets	addresses: Maximum 150
Paper output capacity		
Paper output capacity		
Paper size:	Standard tray(s): A5 - A3	Monitor or SmartDeviceMonitor™
	Bypass tray: A6 - A3	Scan to folder: Via SMB, FTP or NCP protocol
	Duplex tray (MP 2000): A5 - A3	
Paper weight:	Standard tray(s): 60 - 90 ĝ/m	Software
	Bypass tray: 52 - 162 g/m	\sim
	Duplex tray (MP 2000): 64 - 90 g [≯] m	SmartDeviceMonitor [™] ,Web SmartDeviceMonitor [™] ,
Dimensions	MP 1600: 550 x 568 x 420 mm	Web Image Monitor, DeskTopBinder™ Lite
W x D x H):	MP 2000: 587 x 568 x 558 mm	· · · ·
Weight:	MP 1600: Less than 35 kg	
-	MP 2000: Less than 47 kg	FAX (option)
Power source:	220 - 240 V, 50/60 Hz	
Power consumption:	Operation: 1.28 kW	Circuit: DCTN DRV
<u> </u>	Energy saver mode: 45 W	Circuit: PSTN, PBX
		Compatibility: ITU-T (CCITT) G3, T.37, T.38
		Modem speed: Maximum 33.6 Kbps
	PRINTER/SCANNER (option)	Resolution: 200 x 100/200/400 dpi
		Compression method: MH, MR, MMR, JBIG
	Duinten	Scanning speed: 1 second (200 x 200 dpi, A4, SEF)
	Printer	Memory capacity: Standard: 4 MB
		Memory backup: Yes
Print speed:	16/20 prints per minute	
Printer language/	Standard:	
resolution:	PCL5e, PCL6, RPCS [™] : 600 x 600 dpi	OPTIONS
	Option:	
	Adobe PostScript 3™: 600 x 600 dpi	
nterface:	Standard: Ethernet 10 base-T/100 base-T/	• Platen cover
interiace.	Stanuaru: Ethernet TV base-1/100 base-1/	• 30-sheet Auto Document Feeder (MP 1600)
	USB 2.0 Optional: Wirelass LAN (202 11h)	50-sheet Auto Reverse Document Feeder (MP 2000)
	Optional: Wireless LAN (802.11b)	100-sheet one-bin tray (MP 2000)
	Bi-directional IEEE 1284	• 1 x 500-sheet paper tray
	Bluetooth	• 2 x 500-sheet paper trays
Vlemory:	Standard: 384 MB	• Accessibility handle option (for standard and optional paper trays)
letwork protocol:	TCP/IP, IPX/SPX, AppleTalk	Cabinets (large, medium, small)
supported environme	ents: Windows/Me/NT4.0/2000/XP/	
	Server 2003	1 Rundled with printer/coopportention
	Novell Netware 3.12/3.2/4.1/4.11	^I Bundled with printer/scanner option.
	5.0/5.1/6/65	For availability of models, optional apparatus and software,
	UNIX Sun Solaris 2.6/7/8/9/10	please consult your local Ricoh supplier.
	HP-UX 10.x/11.x/11iv2	prease consult your rocur meon supplier.
	TIF-0A 10.A/ 11.A/ 111VZ	

RICOH

www.stanfordmarsh.co.uk STANFORD MARSH STANFORD MARSH GROUP WWW.Stanfordmarsh.co.uk | 0844 856 0701 For more information, please contact:



01: 2000 certified 001 certified

pelieves in conserving the earth's us natural resources. This ure is printed on environmentally y paper: 50% recycled fibres, hlorine free bleached pulp.

nd and/or product names are arks of their respective owners.

cations and external appearance ject to change without notice. lour of the actual product may vary ne colour shown in the brochure.

ght © 2006 Ricoh Europe B.V. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe B.V.

RICOH EUROPE B.V. P.O. Box 114, 1180 AC Amstelveen, The Netherlands Phone: +31 (0)20 54 74 111 Fax: +31 (0)20 54 74 222

www.ricoh-europe.com

ENG/EUR - B1006N - 261215